

# Bore9 Report



**Project: Engine #123**

## Report Issued By

**Company Name:** Acme Company  
**Address:** 123 Main St.  
**City, State Zip:** Coyote, AZ  
**Phone/FAX:** (123)456-7890  
**Company EMail:** techn@Acme.com

## Machine Information

**Factory Name:**  
**Machine Information:**  
**Notes:**


## Summary

Concentricity (Bores)	Max Deviation	Tolerance	I/O	Best Fit Slope
Overall	.0099	.0080	✘	.0099
Bore-to-Bore	.0083	.0080	✘	.0083


## Setup Information

**Number of Bores** 10  
**Distance between bores** 8.00  
**Units** inches  
**Bore to Bore Tolerance** .0020  
**Concentricity Tolerance** .0080  
**Overall Tolerance** .0030  
**Target / Interface**  
**Serial Number**

## Result Graphs



## Concentricity



## Alignment Data

Bore #	Dist	V Norm	H Norm	V Plot (1, 10)	H Plot (1, 10)	Radius	Ang Pos
1	0	.0067	.0096	0	0	0	180
2	8.0000	.0088	.0096	.0037	.0020	.0042	242
3	16.0000	.0010	.0060	-.0026	.0003	.0026	97
4	24.0000	.0031	.0081	.0011	.0044	.0045	194
5	32.0000	.0088	.0081	.0083	.0064	.0105	233
6	40.0000	.0088	.0081	.0099	.0083	.0129	230
7	48.0000	.0010	-.0060	.0036	-.0038	.0053	316
8	56.0000	-.0031	-.0081	.0011	-.0039	.0041	345
9	64.0000	-.0031	-.0081	.0026	-.0020	.0033	307
10	72.0000	-.0073	-.0081	.0000	.0000	.0000	194